

**In the United States Patent and Trademark Office**

In re application of Geoff C. Gerhardt and Bruce J. Compton

Serial number: 10/791,080

Entitled: Method for Using a Hydraulic Amplifier Pump in Ultrahigh Pressure Liquid Chromatography

Filing Date: March 1, 2004

Art Unit: 3746

Examiner: William H. Rodriguez

Attorney Docket Number: 04-273 C1

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**Response to Office Action Bearing a Mailing Date of May 22, 2007**

Dear Sir:

In response to the outstanding Office Action bearing a mailing date of May 22, 2007, Applicants introduce the Remarks that follow and file a Terminal Disclaimer.

**Remarks**

Reconsideration of the present Application is respectfully requested. In order to place the remarks in perspective, and for the convenience of the Examiner, a brief summary of the outstanding Office Action is set forth below.

**I. Brief Summary of the Office Action**

In the Office Action the Examiner acknowledged that claims 1-23 are pending and that the drawings filed with the Application have been accepted.

In a non-final action, the Examiner has rejected all pending claims under the judicially created doctrine of double patenting in view of U.S. Patent 6,712,587.

There are no further substantive rejections, comments or objections to the present application.